


Introducing the TruVision™ Line.

For ideal security that protects your business and your budget, look for the green box.





Cameras



Recorders

Practical and reliable video surveillance, even in the most challenging environments.



Monitors



Interfaces

GE Security introduces the TruVision™ Line of cameras, monitors and recorders, a cost-effective video surveillance option to help stay within budget without compromising security. These integrated solutions, including IP-based network capability, are flexible and scalable to accommodate future growth. Ideal for indoor and outdoor applications, the TruVision Line provides security for small business and commercial applications, including convenience stores and free-standing structures, as well as parking garages and lots.





TruVision™ Cameras

Form and function combine for powerful security options

The TruVision™ Line of cameras delivers enhanced video surveillance for a variety of indoor and outdoor applications. Equipped with advanced features and superb optical quality, TruVision cameras represent a comprehensive line that includes PTZ, Infrared, Fixed and Covert options.

PTZ Cameras

Combining a pan/tilt unit and an autofocus zoom camera with a high-performance sensor, TruVision PTZ cameras are capable of many of the functions expected from traditional PTZ cameras. Designed as a cost-effective solution for internal and external applications.

TruVision PTZ Mini 12X

- Extremely compact and powerful, well-suited for limited space applications
- 12X color and 12X day/night camera options with 12X digital zoom
- Full 540 TVL resolution
- 360° endless pan travel at up to 300° per second



TruVision PTZ 16X

- Compact 16X optical zoom
- 8X digital zoom; 128X total zoom
- High-resolution CCD color
- 63 programmable presets and one shadow tour



Camera	Resolution	Lux	IP66	Voltage
PTZ Mini 12X	540 TVL	1.0/0.2 (B/W)	Yes (outdoor models)	24VAC
PTZ 16X	480 TVL	1.0	Yes	24VAC/24VDC

Fixed IR Cameras

Designed for low-light and complete darkness environments, the balanced IR capabilities, multiple resolutions, and flexible form factors of TruVision IR cameras make it easy to find the perfect camera for each situation.

TruVision Cam IR Bullet

- Balanced IR illumination for optimal viewing in low- to no-light environments
- Form factor provides flexible installation options
- IP67 rating for weather-resistant performance
- Varifocal and fixed lens options available



TruVision Dome IR

- Balanced IR illumination for optimal viewing in low- to no-light environments
- Omni-directional dome form factor provides flexible installation options
- Up to IP67 ratings for weather-resistant performance (depending on model)
- Varifocal and fixed lens options available



Camera	Resolution	Lens	IR Range	Up to IP67	Voltage
TruVision Cam IR Bullet	380-530 TVL	4.3mm fixed/ 3.5mm-12mm, 6mm-50mm varifocal	33-180 ft	Yes	12VDC 12VDC/24VAC depending on model
TruVision Dome IR	380-530 TVL	4.3mm fixed/ 3.5mm-9.0mm varifocal	33-66 ft	Yes	12VDC/24VAC

Fixed Analog and IP Dome Cameras

Engineered for superior resolution, these cameras deliver crisp, detailed images and are well-suited for a variety of applications. The easy-to-install IP cameras provide optimum resolution for the perfect balance of image quality, file size and transfer speed.

TruVision Dome

- Superior image performance
- Up to 500 TVL
- 0.2 lux



Miniview Dome

- 2" form factor for discreet surveillance
- 480 TVL, sensitive to 1.0 lux
- 3-axis gimble



CamPlus™ IP Rugged Dome

- Day/night capabilities
- MPEG-4 compression
- Configuration tools to control bandwidth usage



Camera	Resolution	Lux	Lens	Voltage
TruVision Dome	500 TVL	0.2	2.6mm-6.0mm	12VDC/24VAC
MiniView Dome	480 TVL	1.0	3mm-6.0mm	12VDC (24VAC adapter)
CamPlus IP Rugged Dome	520 TVL	0.5/0.1 (B/W)	—	12VDC/24VAC

Covert and Specialty Cameras

TruVision covert and specialty cameras provide outstanding performance while delivering strong value. With superior resolution and low-light performance, these cameras come in flexible, yet discreet, form factors.

TruVision Covert PIR and Covert Smoke Detector

- Superior image performance in discreet platform
- Up to 550 TVL color
- Available with non-functional PIR



TruVision Specialty Corner Mount

- Rugged tamper-resistant mount
- Wide-angle lens options
- Ideal for elevators and hallways



Camera	Resolution	Lux	Lens	Voltage
TruVision Covert	550 TVL	0.4	2.8mm-3.8mm	12VDC
TruVision Specialty	550 TVL	0.4	2.8mm	12VDC

Recorders

Exceptional video storage options to fit every application and budget.

For user-friendly operation that delivers reliable, real-time recording, TruVision™ digital recording devices represent quality and unlimited possibilities. Designed to effectively capture, store and retrieve important video content, these feature-rich recorders integrate with other products and software for a comprehensive video storage solution.

TruVision NVR 40 (TVN 40)



- 12- or 24-channel network video recorder
- GE NVR Management software compatible
- Supports GE and third-party IP cameras
- Easy set up and use
- Network-friendly video transmission
- Up to 4TB of onboard storage

SymDec™ 16 plus 4



- Real-time MPEG-4 recording on ALL channels at D1 resolution
- Unique "light bar" alarm indicator
- Remote navigation via GE Nav and SymBrowser™

SymSafe™ Pro



- Real-time MPEG-4 recording
- Unique "light bar" alarm indicator
- Remote navigation via GE Nav and SymBrowser

TruVision DVR 30 (TVR 30)



- 8 and 16-channel H.264, dual-streaming DVR
- Storage configurations from 500GB to 3TB
- One button archiving
- Easy DDNS set-up

TruVision DVR 10 (TVR 10)



- 4-channel H.264 DVR
- Storage configurations from 250GB to 1TB
- Dual-streaming

Recorder	Compression	Storage	Recording Resolutions	Frame Rate Per Channel	Archive
TruVision NVR 40	MPEG-4, MJPEG, H.264	Up to 4TB	VGA, Megapixel	Up to 30 fps	Via remote software
SymDec 16 plus 4	MPEG-4	Up to 4TB	D1, 2CIF, CIF	Up to 30 fps @ D1	DVD Int/USB
SymSafe Pro	MPEG-4	Up to 2TB	D1, 2CIF, CIF	Up to 30 fps @ 2CIF	DVD Int/USB
TruVision DVR 30	H.264	Up to 3TB	D1, 2CIF, CIF	Up to 30 fps @ CIF	USB, CD/DVD
TruVision DVR 10	H.264	Up to 1TB	4CIF, DCIF, 2CIF, CIF, QCIF	Up to 30 fps @ CIF	USB

Monitors

Capture video and a whole lot more

TruVision LCD monitors are a cost-effective CCTV solution designed for years of trouble-free operation and clear, reliable viewing. Engineered specifically for 24/7 operation to accommodate a wide range of applications, TruVision monitors deliver optimum picture quality even under the most challenging lighting and environmental conditions. Available in 15", 17", 19" and 17" VGA models.

TruVision LCD 15", 17" and 19"

- Comb filter (2D-17"/15", 3D-19") improves video with motion
- Multi-language on-screen display (OSD) in 7 languages
- Up to 50,000 hours of long panel lamp life
- 500:1 high-contrast ratio for darker blacks and whiter whites



TruVision LCD 17" VGA

- VGA only
- 800:1 high-contrast ratio offers excellent definition; darker blacks and whiter whites
- Up to 30,000 hours of long panel lamp life



Model	Max. Resolution	Contrast	Response Time (Tr/Tf)	Panel Lamp Life	VESA™ Mount Size
19"	1280 x 1024 @ 60Hz (SVGA)	500:1	2/6 ms	50,000 hrs	100 x 100 mm (BS M4 x 10 mm Screw) 75 x 75 mm
17"	1280 x 1024 @ 60Hz (SVGA)	500:1	2/6 ms	40,000 hrs	100 x 100 mm (BS M4 x 10 mm Screw) 75 x 75 mm
15"	1024 x 768 @ 60Hz (XGA)	500:1	5/11 ms	30,000 hrs	100 x 100 mm (BS M4 x 10 mm Screw)
17" VGA	1280 x 1024 @ 60Hz (VGA)	800:1	5 ms	30,000 hrs	100 x 100 mm

Interfaces

TruVision POS and ATM interfaces capture transaction text and associate it with recorded video for data that is easily searchable by time, date, camera or transaction text. Compatible with SymDec™ and SymSafe™ products, these interfaces can address up to 16 ATMs in multi-drop ATM networks.

ProBridge™ Interfaces

- Captures transaction text and associates it with recorded video
- Compatible with SymDec, SymSafe and TVR 30
- Supports ATM networks



TruVision™ Recorders, Monitors and Interfaces





Protect your investment with a name you can trust—GE.

North America
T 888-GE-SECURITY
888-(437-3287)

Asia
T 852-2907-8108
F 852-2142-5063

Australia
T 61-3-9239-1200
F 61-3-9239-1299

Europe
T 32-2-725-11-20
F 32-2-721-40-47

Latin America
T 305-593-4301
F 305-593-4300

gesecurity.com

Specifications subject to change without notice.

© 2010 General Electric Company
All Rights Reserved

GE has a long history of being at the forefront of innovations that have made the world a better place to live and work. Perhaps most valuable, with a GE relationship comes the confidence of working with one of the world's most respected companies. For more than 110 years, businesses and organizations have relied on GE and our commitment to create new technologies that make lives better.

For more information call or visit us online at gesecurity.com/truivision



imagination at work